ELSEVIER

Journal of Virological Methods 62 (1996) 189–190

Journal of Virological Methods

Author index

Volume 62 (1996)

Akarid, K., see Desforges, B. **62**, 161
Andréoletti, L., Hober, D., Belaich, S., Lobert, P.E., Dewilde, A. and Wattré, P., Rapid detection of enterovirus in clinical specimens using PCR and microwell capture hybridization assay **62**, 1
Avalosse, B., Dupont, F., Spegelaere, P., Mine, N. and Burny, A., Method for concentrating and purifying recombinant autonomous parvovirus vectors designed for tumour-cell-targeted gene therapy **62**, 181
Aymard, M., see Lévy, R. **62**, 103

Belaich, S., see Andréoletti, L. **62**, 1
Bendinelli, M., see Cammarota, G. **62**, 21
Berumen, J., see Nindl, I. **62**
Biberfeld, G., see Grankvist, O. **62**, 131
Bing, Q., see Zhu, F.-X. **62**, 71
Bonanni, P., Icardi, G.C., Raffo, A.M., Ferrari Bravo, M., Roccatagliata, A. and Crovari, P., Analytical and laboratory evaluation of a new fully-automated third generation enzyme immunoassay for the detection of antibodies to the hepatitis C virus **62**, 113
Bosshard, S., see Lévy, R. **62**, 103
Bredberg-Rådén, U., see Grankvist, O. **62**, 131
Bribiesca, L.B., see Nindl, I. **62**, 81
Brown, J.M., Coates, D.M. and Phillpotts, R.J., Evaluation of monoclonal antibodies for generic detection of flaviviruses by ELISA **62**, 143
Burny, A., see Avalosse, B. **62**, 181

Cammarota, G., Da Prato, L., Nicoletti, E., Matteucci, D., Bendinelli, M. and Pistello, M., Quantitation of feline immunodeficiency proviruses in doubly infected cats using competitive PCR and a fluorescence-based RFLP **62**, 21
Chan, C.-Y., see Hwang, S.-J. **62**, 123
Chang, T.-J., see Hsiang, C.-Y. **62**, 11
Chezzi, C. and Schoub, B.D., Differentiation between vaccine-related and wild-type polioviruses using a heteroduplex mobility assay **62**, 93
Coates, D.M., see Brown, J.M. **62**, 143
Co, R.L., see Hwang, S.-J. **62**, 123
Coyle, P.V., see O'Neill, H.J. **62**, 171
Crovari, P., see Bonanni, P. **62**, 113

Da Prato, L., see Cammarota, G. **62**, 21
Desai, S.M., see Muerhoff, A.S. **62**, 55
Desforges, B., Hatin, I., Akarid, K. and Sinet, M., Competitive reverse transcription-polymerase chain reaction for quantifying murine AIDS virus **62**, 161
Dewilde, A., see Andréoletti, L. **62**, 1
Dimmock, N.J., see Schofield, D.J. **62**, 33
Dupont, F., see Avalosse, B. **62**, 181

Erker, J.C., see Muerhoff, A.S. **62**, 55

Ferrari Bravo, M., see Bonanni, P. **62**, 113
Fisher, S.G., see Nindl, I. **62**, 81

Gissmann, L., see Nindl, I. **62**, 81
Grankvist, O., Walther, L., Bredberg-Rådén, U., Lyamuya, E., Mhalu, F., Gustafsson, Å., Biberfeld, G. and Wadell, G., Nested PCR assays with novel primers yield greater sensitivity to Tanzanian HIV-1 samples than a commercial PCR detection kit **62**, 131
Greenfield, P.F., see Zheng, Y.Z. **62**, 153
Gustafsson, Å., see Grankvist, O. **62**, 131

Hashida, S., Hashinaka, K., Nishikata, I., Oka, S., Shimada, K., Saito, A., Takamizawa, A., Shinagawa, H. and Ishikawa, E., Shortening of the window period in diagnosis of HIV-1 infection by simultaneous detection of p24 antigen and antibody IgG to p17 and reverse transcriptase in serum with ultrasensitive enzyme immunoassay **62**, 43
Hashinaka, K., see Hashida, S. **62**, 43
Hatin, I., see Desforges, B. **62**, 161
Hober, D., see Andréoletti, L. **62**, 1
Hollingshead, M.G., see White, E.L. **62**, 63
Ho, T.-Y., see Hsiang, C.-Y. **62**, 11

Hsiang, C.-Y., Ho, T.-Y., Lin, C.-H., Wu, K. and Chang, T.-J., Analysis of upregulated cellular genes in pseudorabies virus infection: use of mRNA differential display **62**, 11
Huang, Y.-X., see Zhu, F.-X. **62**, 71
Hwang, S.-J., Lee, S.-D., Lu, R.-H., Chan, C.-Y., Lai, L., Co, R.L. and Tong, M.J., Comparison of three different hybridization assays in the quantitative measurement of serum hepatitis B virus DNA **62**, 123

Icardi, G.C., see Bonanni, P. **62**, 113
Ishikawa, E., see Hashida, S. **62**, 43
Ivanov, A., Vapalahti, O., Lankinen, H., Tkachenko, E., Vaheri, A., Niklasson, B. and Lundkvist, Å., Biotin-labeled antigen: a novel approach for detection of Puumala virus-specific IgM **62**, 87

Lai, L., see Hwang, S.-J. **62**, 123
Lankinen, H., see Ivanov, A. **62**, 87
Lee, S.-D., see Hwang, S.-J. **62**, 123
Lévy, R., Najioullah, F., Thouvenot, D., Bosshard, S., Aymard, M. and Lina, B., Evaluation and comparison of PCR and hybridization methods for rapid detection of cytomegalovirus in clinical samples **62**, 103
Lina, B., see Lévy, R. **62**, 103
Lin, C.-H., see Hsiang, C.-Y. **62**, 11
Lobert, P.E., see Andréoletti, L. **62**, 1
Lundkvist, Å., see Ivanov, A. **62**, 87
Lu, R.-H., see Hwang, S.-J. **62**, 123
Lyamuya, E., see Grankvist, O. **62**, 131

Matteucci, D., see Cammarota, G. **62**, 21
McCaughey, C., see O'Neill, H.J. **62**, 171
Mhalu, F., see Grankvist, O. **62**, 131
Mine, N., see Avalosse, B. **62**, 181
Muerhoff, A.S., Simons, J.N., Erker, J.C., Desai, S.M. and Mushahwar, I.K., Identification of conserved nucleotide sequences within the GB virus C 5′-untranslated region: Design of PCR primers for detection of viral RNA **62**, 55
Müller, M., see Nindl, I. **62**, 81
Mushahwar, I.K., see Muerhoff, A.S. **62**, 55

Najioullah, F., see Lévy, R. **62**, 103
Nicoletti, E., see Cammarota, G. **62**, 21
Niklasson, B., see Ivanov, A. **62**, 87
Nindl, I., Gissmann, L., Fisher, S.G., Bribiesca, L.B., Berumen, J. and Müller, M., The E7 protein of human papillomavirus (HPV) type 16 expressed by recombinant vaccinia virus can be used for detection of antibodies in sera from cervical cancer patients **62**, 81
Nishikata, I., see Hashida, S. **62**, 43

Oka, S., see Hashida, S. **62**, 43
O'Neill, H.J., Russell, J.D., Wyatt, D.E., McCaughey, C. and Coyle, P.V., Isolation of viruses from clinical specimens in microtitre plates with cells inoculated in suspension **62**, 171

Phillpotts, R.J., see Brown, J.M. **62**, 143
Pistello, M., see Cammarota, G. **62**, 21

Qi, Y.-P., see Zhu, F.-X. **62**, 71

Raffo, A.M., see Bonanni, P. **62**, 113
Reid, S., see Zheng, Y.Z. **62**, 153
Roccatagliata, A., see Bonanni, P. **62**, 113
Russell, J.D., see O'Neill, H.J. **62**, 171

Saito, A., see Hashida, S. **62**, 43
Schofield, D.J. and Dimmock, N.J., Determination of affinities of a panel of IgGs and Fabs for whole enveloped (influenza A) virions using surface plasmon resonance **62**, 33
Schoub, B.D., see Chezzi, C. **62**, 93
Shannon, W.M., see White, E.L. **62**, 63
Shimada, K., see Hashida, S. **62**, 43
Shinagawa, H., see Hashida, S. **62**, 43
Simons, J.N., see Muerhoff, A.S. **62**, 55
Sinet, M., see Desforges, B. **62**, 161
Spegelaere, P., see Avalosse, B. **62**, 181

Takamizawa, A., see Hashida, S. **62**, 43
Thouvenot, D., see Lévy, R. **62**, 103
Tkachenko, E., see Ivanov, A. **62**, 87
Tong, M.J., see Hwang, S.-J. **62**, 123

Vaheri, A., see Ivanov, A. **62**, 87
Vapalahti, O., see Ivanov, A. **62**, 87

Wadell, G., see Grankvist, O. **62**, 131
Walther, L., see Grankvist, O. **62**, 131
Wattré, P., see Andréoletti, L. **62**, 1
Webb, R., see Zheng, Y.Z. **62**, 153
Westbrook, L., see White, E.L. **62**, 63
White, E.L., Westbrook, L., Hollingshead, M.G. and Shannon, W.M., Optimization of the reverse transcriptase assay for the detection of viral burden in mice infected with Rauscher murine leukemia virus **62**, 63
Wu, K., see Hsiang, C.-Y. **62**, 11
Wyatt, D.E., see O'Neill, H.J. **62**, 171

Zheng, Y.Z., Webb, R., Greenfield, P.F. and Reid, S., Improved method for counting virus and virus like particles **62**, 153
Zhu, F.-X., Qi, Y.-P., Huang, Y.-X. and Bing, Q., A baculovirus vector derived from immediately early gene promoter of *Autographa californica* nuclear polyhedrosis virus **62**, 71

ELSEVIER

Journal of Virological Methods 62 (1996) 191–193

Journal of Virological Methods

Subject index

Volume 62 (1996)

Affinity; Influenza A virus; IgG; Fab; Surface plasmon resonance **62**, 33

African samples; HIV-1; PCR-detection; GeneAmp; Nested primers **62**, 131

Airfuge; Virus particle counting; Immunosorbent electron microscopy; EM-90 rotor; Bluetongue **62**, 153

Automation; Third generation anti-HCV screening tests; Evaluation **62**, 113

Baculovirus; Hantavirus; Puumala virus; Biotin; IgM; Recombinant **62**, 87

Baculovirus; Transfer vector; Neomycin gene; IE1 promoter; Selection method **62**, 71

Biotin; Hantavirus; Puumala virus; IgM; Baculovirus; Recombinant **62**, 87

Bluetongue; Virus particle counting; Immunosorbent electron microscopy; Airfuge; EM-90 rotor **62**, 153

Branched chain DNA signal amplification assay (Quantiplex, Chiron); Hepatitis B virus DNA; Dot-blot membrane hybridization; Liquid molecular hybridization (Abbott HBV DNA assay); Polymerase chain reaction **62**, 123

Cancer gene therapy; MVMp-based vectors; Virus purification; Virus concentration **62**, 181

Cells in suspension; Virus isolation; Microtitre plates **62**, 171

Cervical cancer; Human papillomavirus; Linear and discontinuous epitopes; Serology; Vaccinia virus **62**, 81

Competitive PCR; Murine AIDS; LP-BM5 virus; Defective virus expression **62**, 161

Defective virus expression; Murine AIDS; LP-BM5 virus; Competitive PCR **62**, 161

DEIA hybridization; Human cytomegalovirus; Polymerase chain reaction; Rapid detection; Dot-blot **62**, 103

Detection; Flavivirus; Enzyme-linked immunosorbent assay **62**, 143

Dot-blot; Human cytomegalovirus; Polymerase chain reaction; Rapid detection; DEIA hybridization **62**, 103

Dot-blot membrane hybridization; Hepatitis B virus DNA; Liquid molecular hybridization (Abbott HBV DNA assay); Branched chain DNA signal amplification assay (Quantiplex, Chiron); Polymerase chain reaction **62**, 123

EM-90 rotor; Virus particle counting; Immunosorbent electron microscopy; Airfuge; Bluetongue **62**, 153

Enterovirus; RT-PCR; Microwell capture hybridization; Nested-PCR; Rapid diagnosis **62**, 1

Enzyme-linked immunosorbent assay; Detection; Flavivirus **62**, 143

Evaluation; Third generation anti-HCV screening tests; Automation **62**, 113

Fab; Influenza A virus; IgG; Affinity; Surface plasmon resonance **62**, 33

FIV; PCR; RFLP **62**, 21

Flavivirus; Detection; Enzyme-linked immunosorbent assay **62**, 143

GB agent; GB virus C; Hepatitis; PCR; 5′-UTR **62**, 55

GB virus C; GB agent; Hepatitis; PCR; 5′-UTR **62**, 55

GeneAmp; HIV-1; PCR-detection; Nested primers; African samples **62**, 131

Hantavirus; Puumala virus; Biotin; IgM; Baculovirus; Recombinant **62**, 87

Hepatitis B virus DNA; Dot-blot membrane hybridization; Liquid molecular hybridization (Abbott HBV DNA assay); Branched chain DNA signal amplification assay (Quantiplex, Chiron); Polymerase chain reaction **62**, 123

Hepatitis; GB virus C; GB agent; PCR; 5′-UTR **62**, 55

Heteroduplex mobility assay; Poliovirus; Intratypic differentiation **62**, 93

HIV-1; PCR-detection; GeneAmp; Nested primers; African samples **62**, 131

Human cytomegalovirus; Polymerase chain reaction; Rapid detection; Dot-blot; DEIA hybridization **62**, 103

Human immunodeficiency virus (HIV); Rauscher murine leukemia virus; In vivo; Reverse transcriptase **62**, 63

Human immunodeficiency virus type 1; p17; p24; Reverse transcriptase; Seroconversion; Simultaneous assay **62**, 43

Human papillomavirus; Cervical cancer; Linear and discontinuous epitopes; Serology; Vaccinia virus **62**, 81

IE1 promoter; Baculovirus; Transfer vector; Neomycin gene; Selection method **62**, 71

IgG; Influenza A virus; Fab; Affinity; Surface plasmon resonance **62**, 33

IgM; Hantavirus; Puumala virus; Biotin; Baculovirus; Recombinant **62**, 87

Immunosorbent electron microscopy; Virus particle counting; Airfuge; EM-90 rotor; Bluetongue **62**, 153

Influenza A virus; IgG; Fab; Affinity; Surface plasmon resonance **62**, 33

Intratypic differentiation; Poliovirus; Heteroduplex mobility assay **62**, 93

In vivo; Rauscher murine leukemia virus; Reverse transcriptase; Human immunodeficiency virus (HIV) **62**, 63

Linear and discontinuous epitopes; Cervical cancer; Human papillomavirus; Serology; Vaccinia virus **62**, 81

Liquid molecular hybridization (Abbott HBV DNA assay); Hepatitis B virus DNA; Dot-blot membrane hybridization; Branched chain DNA signal amplification assay (Quantiplex, Chiron); Polymerase chain reaction **62**, 123

LP-BM5 virus; Murine AIDS; Competitive PCR; Defective virus expression **62**, 161

Microtitre plates; Virus isolation; Cells in suspension **62**, 171

Microwell capture hybridization; RT-PCR; Nested-PCR; Enterovirus; Rapid diagnosis **62**, 1

mRNA differential display; Pseudorabies virus; Positive selection **62**, 11

Murine AIDS; LP-BM5 virus; Competitive PCR; Defective virus expression **62**, 161

MVMp-based vectors; Virus purification; Virus concentration; Cancer gene therapy **62**, 181

Neomycin gene; Baculovirus; Transfer vector; IE1 promoter; Selection method **62**, 71

Nested-PCR; RT-PCR; Microwell capture hybridization; Enterovirus; Rapid diagnosis **62**, 1

Nested primers; HIV-1; PCR-detection; GeneAmp; African samples **62**, 131

PCR-detection; HIV-1; GeneAmp; Nested primers; African samples **62**, 131

PCR; FIV; RFLP **62**, 21

PCR; GB virus C; GB agent; Hepatitis; 5′-UTR **62**, 55

p24; Human immunodeficiency virus type 1; p17; Reverse transcriptase; Seroconversion; Simultaneous assay **62**, 43

p17; Human immunodeficiency virus type 1; p24; Reverse transcriptase; Seroconversion; Simultaneous assay **62**, 43

Poliovirus; Intratypic differentiation; Heteroduplex mobility assay **62**, 93

Polymerase chain reaction; Hepatitis B virus DNA; Dot-blot membrane hybridization; Liquid molecular hybridization (Abbott HBV DNA assay); Branched chain DNA signal amplification assay (Quantiplex, Chiron) **62**, 123

Polymerase chain reaction; Human cytomegalovirus; Rapid detection; Dot-blot; DEIA hybridization **62**, 103

Positive selection; Pseudorabies virus; mRNA differential display **62**, 11

Pseudorabies virus; mRNA differential display; Positive selection **62**, 11

Puumala virus; Hantavirus; Biotin; IgM; Baculovirus; Recombinant **62**, 87

Rapid detection; Human cytomegalovirus; Polymerase chain reaction; Dot-blot; DEIA hybridization **62**, 103

Rapid diagnosis; RT-PCR; Microwell capture hybridization; Nested-PCR; Enterovirus **62**, 1

Rauscher murine leukemia virus; In vivo; Reverse transcriptase; Human immunodeficiency virus (HIV) **62**, 63

Recombinant; Hantavirus; Puumala virus; Biotin; IgM; Baculovirus **62**, 87

Reverse transcriptase; Human immunodeficiency virus type 1; p17; p24; Seroconversion; Simultaneous assay **62**, 43

Reverse transcriptase; Rauscher murine leukemia virus; In vivo; Human immunodeficiency virus (HIV) **62**, 63

RFLP; PCR; FIV **62**, 21

RT-PCR; Microwell capture hybridization; Nested-PCR; Enterovirus; Rapid diagnosis **62**, 1

Selection method; Baculovirus; Transfer vector; Neomycin gene; IE1 promoter **62**, 71

Seroconversion; Human immunodeficiency virus type 1; p17; p24; Reverse transcriptase; Simultaneous assay **62**, 43

Serology; Cervical cancer; Human papillomavirus; Linear and discontinuous epitopes; Vaccinia virus **62**, 81

Simultaneous assay; Human immunodeficiency virus type 1; p17; p24; Reverse transcriptase; Seroconversion **62**, 43

Surface plasmon resonance; Influenza A virus; IgG; Fab; Affinity **62**, 33

Third generation anti-HCV screening tests; Evaluation; Automation **62**, 113

Transfer vector; Baculovirus; Neomycin gene; IE1 promoter; Selection method **62**, 71

5′-UTR; GB virus C; GB agent; Hepatitis; PCR **62**, 55

Vaccinia virus; Cervical cancer; Human papillomavirus; Linear and discontinuous epitopes; Serology **62**, 81

Virus concentration; MVMp-based vectors; Virus purification; Cancer gene therapy **62**, 181

Virus isolation; Cells in suspension; Microtitre plates **62**, 171

Virus particle counting; Immunosorbent electron microscopy; Airfuge; EM-90 rotor; Bluetongue **62**, 153

Virus purification; MVMp-based vectors; Virus concentration; Cancer gene therapy **62**, 181